



Health  
Canada

Santé  
Canada



CAI  
HW  
-Z449



# Cooperator Information from the Pest Management Regulatory Agency on Posting of Research Areas

## SIGNS MUST BE POSTED AT EACH PEST CONTROL EXPERIMENTAL SITE.



### WHY?

Posting of a sign informs the public that research is being conducted under the provisions of the Pest Control Products Regulations.

### HOW?


Ask your company representative to provide you with a pre-printed sign (see sample).

### WHEN?

The sign must be installed immediately before the pesticide application and must remain in place until the crop has been harvested or as long as data is being collected.

### WHERE?

The sign must be located at the point of entry. If there are several points of entry, then signs must be posted at the most likely points of entry.



## **WHAT HAPPENS IF A SITE IS NOT POSTED OR IS INCORRECTLY POSTED?**

Your company representative will be contacted and will be requested to take corrective action. A follow-up inspection may occur to ensure compliance with regard to posting.

Here is a sample of what an appropriate sign should look like:

**PEST CONTROL  
EXPERIMENTAL SITE**

**DO NOT ENTER WITHOUT  
AUTHORIZATION**

**FOR INFORMATION, CONTACT**

\_\_\_\_\_ AT \_\_\_\_\_  
(contact name) (telephone #)

**Pest Management Regulatory Agency**  
**2720 Riverside Drive**  
**Ottawa ON K1A 0K9**

**Pest Management Information Service**

**Telephone: 1-800-267-6315**

**From outside Canada: (613) 736-3799\***

**\*Long distance charges apply.**

**Fax: (613) 736-3798**

**Internet: [www.hc-sc.gc.ca/pmra-arla](http://www.hc-sc.gc.ca/pmra-arla)**



Agence de réglementation de la lutte antiparasitaire  
2720, promenade Riverside  
Ottawa ON K1A 0K9

Service de renseignements sur la lutte antiparasitaire  
Téléphone : 1-800-267-6315

De l'extérieur du Canada : (613) 736-3799\*  
\*Frais d'intervurban


Télec. : (613) 736-3798

Internet : [www.hc-sc.gc.ca/pmra-arla](http://www.hc-sc.gc.ca/pmra-arla)

QU'ARRIVE-T-IL LORSQU'IL N'Y A AUCUN AFFICHAGE OU  
QUE L'AFFICHAGE EST INADÉQUAT?

On communiquera avec le représentant de votre compagnie pour lui  
demander de prendre des mesures correctives. Il est possible qu'une  
inspection soit effectuée pour vérifier la conformité de l'affichage.

Voici une affiche type :



## UNE AFFICHE DOIT ÊTRE POSÉE À L'ENTRÉE D'UN EMPLACEMENT UTILISÉ POUR L'ESSAI DE PRODUITS ANTIPARASITAIRES.



### POURQUOI?

L'affichage permet d'informer le public que de la recherche est effectuée en vertu du *Règlement sur les produits antiparasitaires*.

### COMMENT?

Demandez au représentant de votre compagnie de vous fournir une affiche pré-imprimée (voir l'exemple).

### QUAND?

L'affiche doit être posée immédiatement avant l'application de pesticides et rester en place jusqu'à ce que la culture ait été récoltée ou aussi longtemps qu'on recueille des données.

### OÙ?

L'affiche doit être posée au point d'entrée. S'il y a plusieurs points d'entrée, des affiches doivent être posées aux points les plus susceptibles de servir d'entrée.





Santé  
Canada  
Health  
Canada



# Affichage aux aires de recherche

Information à l'intention des collaborateurs  
fournie par l'Agence de réglementation de la  
lutte antiparasitaire